2.5 To 3.5 GHz 24dBm Power Amplifier with 24dB Small Signal Gain

Basic Information

- Place of Origin:
- Brand Name:
- LT-PA-025035-G24P24 Model Number:

1

CHINA

ZR Hi-Tech

4 weeks T/T

- Minimum Order Quantity:
- Packaging Details: carton packing
- Delivery Time:
- Payment Terms:



Product Specification

- Product Name:
- Application:

• Material:

Color:

LT-PA Series Power Amplifier

Wireless Communication

Aluminum

- Temperature:
- Frequency Range:
- Highlight:
- -40~85°C
- 2.5 To 3.5 GHz
 - Silver
- rf amplifier 2.5GHz, small rf amplifier, small signal rf amplifier

Our Product Introduction

2.5 to 3.5 GHz LT-PA Series Power Amplifier

Quick Detail:

- · Aluminum Housing
- · Customizable Frequency
- · -40°C~+85°C Operating Temperature
- Small Signal Gain 24dB
 CE, RoHS, REACH compliant
- · 1 Year Warranty

Description:


The LT-PA-025035-G24P24 from ZR is a RF Amplifier with Frequency 2.5 to 3.5 GHz, Small Signal Gain 24 dB, Gain Flatness ±1.0 dB, Output Power 24dBm, Input Power 10 dBm. Tags: Power Amplifier. More details for LT-PA-025035-G24P24 can be seen below.

Specifications:

Electrical / Optical Characteristics (Ta=25°C±3°C)

Items	Specification	Conditions
Part Number	LT-PA-025035-G24P24	
Configuration	Module with Connector	
Frequency Range	2.5 to 3.5 GHz	
Small Signal Gain	24 dB	
Gain Flatness	±1.0 dB	
Output Power	24 dBm	
Input Power	10 dBm	
VSWR	2.0:1	
Power Supply	+12V / 260mA	
Operating Temperature	-40 to +85 °C	
Dimension	34.4*16.8*8.1 mm	
Note: for custom specs,	please contact us directly.	·

Outline Drawing (Unit: mm):



ZTRHITECH Sichuan ZR Hi-Tech Ltd.



info@zrhitech.com C zrhitech.com

No.1411, Zhuye Building, 100 Xingping Road, Jinniu District, Chengdu, Sichuan Province, CHINA