1 To 2 GHz 19 dBm Power Amplifier with 49 dB Small Signal Gain

Basic Information

Place of Origin: CHINABrand Name: ZR Hi-Tech

Model Number: LT-PA-010020-G49P19

Minimum Order Quantity:

Packaging Details: carton packing
Delivery Time: 4 weeks
Payment Terms: T/T



Product Specification

Product Name: LT-PA Series Power Amplifier
 Application: Wireless Communication

Material: Aluminum
Temperature: -40~85
Frequency Range: 1 To 2 GHz
Color: Silver

Highlight: RF Microwave Amplifiers 49dB,

RF Microwave Amplifiers 2GHz,

2GHz RF Amplifiers

1 To 2 GHz 19 dBm Power Amplifier with 49 dB Small Signal Gain

Product Overview

The **LT-PA-010020-G49P19** is a high-performance RF power amplifier designed for wireless communication applications, featuring a robust aluminum housing and excellent signal gain characteristics.

Key Features

Frequency range: 1 to 2 GHz Small signal gain: 49 dB Output power: 19 dBm

Aluminum housing for durability

Operating temperature: -40 to +85

CE, RoHS, REACH compliant


1-year warranty

Technical Specifications

Parameter	Specification	Conditions
Part Number	LT-PA-010020-G49P19	
Configuration	Module with Connector	
Frequency Range	1 to 2 GHz	
Small Signal Gain	49 dB	
Gain Flatness	±1.0 dB	
Output Power	19 dBm	
Input Power	5 dBm	
VSWR	2.1:1	
Power Supply	+15V / 180 mA	
Operating Temperature	-40 to +70	
Dimensions	35 × 35 × 16 mm	

Note: Custom specifications available upon request. Please contact us for details.

Product Diagram



17342580638

info@zrhitech.com

g zrhitech.com

Room 507, Advanced Technology Achievement Western Transformation Center, No. 36 Xingke South Road, Jinniu District, Chengdu, Sichuan, China