4.0 to 8.0 GHz 20 Watt LT-PD Series 4-Way Power Divider

Basic Information

Place of Origin: CHINABrand Name: ZR Hi-tech

Model Number: LT-PD-4S-040080

Minimum Order Quantity:

Packaging Details: carton packing
Delivery Time: 4 weeks
Payment Terms: D/A,D/P,T/T



Product Specification

• Highlight: 4.0 to 8.0 GHz Power Divider

Product Description

4.0 to 8.0 GHz 4-Way Power Divider

Quick Detail:

- · 4-Way Power Divider
- · Stripline Design
- · -55°C~+85°C operating temperature
- 4.0 to 8.0 GHz Frequency Range
- · Max Power 20 Watt
- · Insertion Loss < 0.9 dB
- · Isolation > 20 dB
- · CE, RoHS, REACH compliant
- · 1 Year Warranty

Description:


The LT-PD-4S-040080 from ZR is a 4-way power divider that operates from 4.0 to 8.0 GHz and can handle up to 20 Watt (CW) with 0.9 dB max insertion loss and 20 dB min isolation, The package interface uses SMA-Female connectors and is REACH and RoHS compliant. More details for LT-PD-4S-0400804 can be seen below.

Specifications:

Electrical / Optical Characteristics (Ta=25°C±3°C)

Items	Specification	Conditions
Part Number	LT-PD-4S-040080	
Frequency Range	4.0 to 8.0 GHz	
Impedance	50 Ohms	
Input VSWR	1.45:1 Max.	
Output VSWR	1.35:1 Max.	
Insertion Loss	0.9 dB Max.	Excluding Nominal Splitter
		Loss 3.0dB
Isolation	20 dB Min.	
Amplitude Balance	0.6 dB Max.	
Phase Balance	6 Degrees Max.	
Input Power	20 kW	
Connectors	SMA-Female	
Dimension	79.2x51.6x12.7 mm	
Note: for custom spec	s, please contact us directly	

Outline Drawing (Unit: mm):







13541202623



info@zrhitech.com



zrhitech.com