34.5 to 35.5 GHz 20 Watt LT-PD Series 3-Way Power Divider

Basic Information

Place of Origin:

Brand Name: ZR Hi-tech

zrhitech.com

Model Number: LT-PD-3S-345355

CHINA

4 weeks

D/A,D/P,T/T

1

Sichuan ZR Hi-Tech Ltd.

- Minimum Order Quantity:
- Packaging Details: carton packing
- Delivery Time:
- Payment Terms:





LT-PD-3S-345355

Product Specification

• Highlight:

35.5 GHz Power Divider, 34.5 GHz Power Divider

Our Product Introduction

34.5 to 35.5 GHz 20 Watt LT-PD Series 3-Way Power Divider

Quick Detail:

3-Way Power Divider

Stripline Design

-55°C to +85°C operating temperature

34.5 to 35.5 GHz Frequency Range

Max Power 20 Watt

Insertion Loss < 1.8 dB

Isolation > 18 dB

CE, RoHS, REACH compliant

1 Year Warranty

Description:

The LT-PD-3S-345355 from ZR is a high-performance 3-way power divider operating in the 34.5 to 35.5 GHz frequency range. Capable of handling up to 20 Watt (CW) with maximum insertion loss of 1.8 dB and minimum isolation of 18 dB. The unit features 2.92mm-Female connectors and complies with REACH and RoHS standards.

Specifications:

Electrical Characteristics (Ta=25°C±3°C)

| Items | Specification | Conditions |
|-------------------|-------------------|---------------------------------------|
| Part Number | LT-PD-3S-345355 | |
| Frequency Range | 34.5 to 35.5 GHz | |
| Impedance | 50 Ohms | |
| Input VSWR | 1.6:1 Max. | |
| Output VSWR | 1.6:1 Max. | |
| Insertion Loss | 1.8 dB Max. | Excluding Nominal Splitter Loss 3.0dB |
| Isolation | 18 dB Min. | |
| Amplitude Balance | 0.6 dB Max. | |
| Phase Balance | 6 Degrees Max. | |
| Input Power | 20 kW | |
| Connectors | 2.92mm-Female | |
| Dimension | 38.1x43.2x12.7 mm | |

Note: for custom specifications, please contact us directly.

Outline Drawing:

