20 Watts LT-DC Series 30dB Directional Coupler Ideal for 0.4 to 20 GHz Range

Basic Information

Place of Origin: CHINA
 Brand Name: ZR Hi-Tech
 Model Number: LT-DC30-004200S

Minimum Order Quantity:

Packaging Details: carton packing
Delivery Time: 4 weeks
Payment Terms: T/T,D/A,D/P



Product Specification

• Highlight: 0.4 to 20 GHz Directional Coupler,

20 Watts Directional Coupler, 30dB Directional Coupler

20 Watts LT-DC Series 30dB Directional Coupler Ideal for 0.4 to 20 GHz Range

Product Overview

The LT-DC30-004200S is a high-performance 30dB directional coupler designed for applications requiring precise signal sampling across a broad frequency spectrum from 0.4 to 20 GHz.

Key Features

30dB Directional Coupler with ±1.0 dB coupling accuracy

Broad frequency range: 0.4 to 20 GHz

Excellent directivity: >14 dB

Low VSWR: <1.35:1

High power handling: 20 Watts (CW)


SMA Female connectors

Compliance: CE, RoHS, REACH 1-year manufacturer warranty

Technical Specifications

Parameter	Specification	Conditions
Part Number	LT-DC30-004200S	
Frequency Range	0.4 to 20 GHz	
Coupling	30±1.0 dB	
Impedance	50 Ohms	
Main Line VSWR	1.35:1	
Coupling VSWR	1.4:1 Max.	
Insertion Loss	0.9 dB	
Frequency Balance	2.0 dB	
Directivity	14 dB	
Input Power	20 W	
Connectors	SMA Female	
Weight	105 g	
Dimensions	111.8×17.8×12.7 mm	

Outline Drawing



Note: Custom specifications available upon request. Please contact our technical team for specialized requirements.

₹ ZRHITECH Sichuan ZR Hi-Tech Ltd.

17342580638

info@zrhitech.com

zrhitech.com

Room 507, Advanced Technology Achievement Western Transformation Center, No. 36 Xingke South Road, Jinniu District, Chengdu, Sichuan, China