

0.5 To 15 GHz SPDT Absorptive PIN Diode Switch

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: ZR Hi-Tech
- Model Number: LT-SWDTA-005150S
- Minimum Order Quantity: 1
- Packaging Details: carton packing
- Delivery Time: 4 weeks
- Payment Terms: T/T



LT-SWDTA-005150S

Product Specification

- Product Name: LT-SW Series PIN Diode Switch
- Application: Wireless Communication
- Material: Aluminum
- Temperature: -40~85
- Frequency Range: 0.5 To 15 GHz
- Color: Silver
- Highlight: 15 GHz PIN Diode Switch

Product Description**0.5 To 15 GHz SPDT Absorptive PIN Diode Switch****Product Attributes**

Attribute	Value
Product name	LT-SW series PIN Diode Switch
Application	Wireless Communication
Material	Aluminum
Temperature	-40~85
Frequency range	0.5 to 15 GHz
Color	Silver

Product Description**0.5 to 15 GHz LT-SW Series PIN Diode Switch****Quick Detail:**

Aluminum Housing
 Customizable Frequency
 -40 ~+85 Operating Temperature
 Fast Switching Time 100ns
 CE, RoHS, REACH compliant
 1 Year Warranty

The LT-SWDTA-005150S from ZR is a Absorptive PIN Diode Switch with Frequency 0.5 to 15 GHz, Isolation 60 dB, Switching Speed 100ns. Power Supply with bias +5V/100mA and -5V/50mA. More details for LT-SWDTA-005150S can be seen below.


Specifications**Electrical / Optical Characteristics (Ta=25 ±3)**

Items	Specification	Conditions
Part Number	LT-SWDTA-005150S	
Type	Absorptive	
Configuration	SPDT	
Frequency Range	0.5 to 15 GHz	
Insertion Loss	2.8 dB	
Isolation	60 dB	
Switching Speed	100 ns	
Control	TTL	
Input / Output VSWR	2.0:1	

Input Power	1 W	
Power Supply(Bias)	+5V / 100mA -5V / 50mA	
Dimension	28*18*10.2mm	

Note: for custom specs, please contact us directly.

Outline Drawing (Unit: mm)



 **Sichuan ZR Hi-Tech Ltd.**



17342580638



info@zrhitech.com



zrhitech.com

Room 507, Advanced Technology Achievement Western Transformation Center, No. 36 Xingke South Road,
Jinniu District, Chengdu, Sichuan, China