

0.5 To 26.5 GHz SP4T Absorptive PIN Diode Switch

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: ZR Hi-Tech
- Model Number: LT-SW4TA-005265S
- Minimum Order Quantity: 1
- Packaging Details: carton packing
- Delivery Time: 4 weeks
- Payment Terms: T/T



LT-SW4TA-005265S

Product Specification

- Product Name: LT-SW Series PIN Diode Switch
- Application: Wireless Communication
- Material: Aluminum
- Temperature: -40~85
- Frequency Range: 0.5 To 26.5 GHz
- Color: Silver
- Highlight: **SP4T PIN Diode Switch, PIN Diode SP4T Switches, Switches SP4T**

Product Description

0.5 To 26.5 GHz SP4T Absorptive PIN Diode Switch

Product Overview

The LT-SW series PIN Diode Switch is designed for wireless communication applications, featuring an aluminum housing and operating within a temperature range of -40 to +85 .

Key Features


- Broad frequency range: 0.5 to 26.5 GHz
- Aluminum housing for durability
- Customizable frequency options
- Fast switching time of 100ns
- Compliance with CE, RoHS, and REACH standards
- 1-year warranty included

Technical Specifications

Parameter	Specification	Conditions
Part Number	LT-SW4TA-005265S	
Type	Absorptive	
Configuration	SP4T	
Frequency Range	0.5 to 26.5 GHz	
Insertion Loss	6.5 dB	
Isolation	60 dB	
Switching Speed	100 ns	
Control	PIN	
Input/Output VSWR	2.5:1	
Input Power	0.2 W	
Power Supply (Bias)	+5V / 150mA -5V / 50mA	
Dimension	31.18 x 27 x 12mm	

Note: For custom specifications, please contact us directly.

Outline Drawing



 **ZRHITECH Sichuan ZR Hi-Tech Ltd.**



17342580638



info@zrhitech.com



zrhitech.com

Room 507, Advanced Technology Achievement Western Transformation Center, No. 36 Xingke South Road,
Jinniu District, Chengdu, Sichuan, China