

2 to 6 GHz LT-PA Series Power Amplifier

Quick Detail:

- Aluminum Housing
- Customizable Frequency
- -40°C~+85°C operating temperature
- Small Signal Gain 14dB
- Output Power 23dBm
- CE, RoHS, REACH compliant
- 1 Year Warranty

Description:

The LT-PA020060-G14P23 from ZR is a RF Amplifier with Frequency 2 to 6 GHz, Small Signal Gain 14 dB, Gain Flatness ± 1.0 dB, Output Power 23dBm, Input Power 15 dBm. Tags: Power Amplifier. More details for LT-PA020060-G14P23 can be seen below.

Specifications:

Electrical / Optical Characteristics (Ta=25°C \pm 3°C)

Items	Specification	Conditions
Part Number	LT-PA020060-G14P23	
Configuration	Module with Connector	
Frequency Range	2 to 6 GHz	
Small Signal Gain	14 dB	
Gain Flatness	± 1.0 dB	
Output Power	23 dBm	
Input Power	15 dBm	
VSWR	2.0:1	
Power Supply	+12V / 150mA	
Operating Temperature	-40 to +85 °C	
Dimension	34.4*16.8*8.1 mm	
Note: for custom specs, please contact us directly.		

Outline Drawing (Unit: mm):

